EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	693	712/216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:03
S2	651	712/217	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:03
S3	701	712/218	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:03
S4	471	712/219	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:04
S5	0	($3dependenc$3 near4 (signal$1 or indication$1 or bit$1)) near4 (buffer near4 address) near4 (active or true or high or set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:20
S6	7	($3dependenc$3 near4 (signal$1 or indication$1 or bit$1)) near4 (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:09
S7	22	($3dependenc$3 near4 (signal$1 or indication$1 or bit$1)) with (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:49
S8	51	($3dependenc$3 near4 (signal$1 or indication$1 or bit$1)) same (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 14:44
S9	1	(out?of?order) near4 (bypass$3) near4 buffer$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:04
S10	1	(out?of?order) near4 (bypass$3 or skip$4 or jump$3) near4 buffer$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:18
S11	0	($3dependenc$3) near4 (buffer near4 address) near4 (active or true or high or set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:30

EAST Search History

S12	84	($3dependenc$3) with (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:51
S13	22	($3dependenc$3) near4 (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:51
S14	3	(out?of?order) near4 dependenc$3 near4 buffer$3 near4 execut$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:05
S15	3	(out?of?order) near4 $3dependenc$3 near4 buffer$3 near4 execut$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:05
S16	6	(out?of?order) with ($3dependenc$3 near4 buffer$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:07
S17	9	(out?of?order) with buffer$3 with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:12
S18	114	buffer$3 with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:12
S19	0	(temporary near4 buffer$3) with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:12
S20	62	((data or operand$1) near4 buffer$3) with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:13
S21	60	((data or operand$1) near4 buffer$3) near4 ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:13
S22	70	(register adj1 renam$3) near4 (dependenc$3 near4 check$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:54
S23	70	(register adj1 renam$3) near4 (dependenc$3 adj1 check$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:37

EAST Search History

S24	0	(register adj1 renam$3) near4 (dependenc$3 near4 (signal$1 or indication$1 or bit$1 or mark$3 or sign$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:38
S25	27	(register adj1 renam$3) with (dependenc$3 near4 (signal$1 or indication$1 or bit$1 or mark$3 or sign$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:38
S26	230	(register adj1 renam$3) near4 dependenc$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/31 08:02
S27	19	(register adj1 renam$3) adj1 dependenc$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:55
S28	1	("5,497,499").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:55
S29	20	(register adj1 renam$3) near4 ((allocat$3 or designat$3 or stor$3) near4 (entr$3 or location$3 or point$3 or plac$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/31 08:10
S30	71	(register adj1 renam$3) with ((allocat$3 or designat$3 or stor$3) near4 (entr$3 or location$3 or point$3 or plac$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/31 08:10
S31	759	712/216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:56
S32	722	712/217	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:56
S33	776	712/218	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:57
S34	520	712/219	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:57
S35	0	(score?board$3) near4 (dependenc$3 near4 check$3) near4 (bypass$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:58

S36	0	((score?board$3) near4 (dependenc$3 near4 check$3)) with ((bypass$3) near4 pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:58
S37	0	((score?board$3) near4 (dependenc$3 near4 check$3)) same ((bypass$3) near4 pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S38	1	((dependenc$3 near4 check$3)) same ((bypass$3) near4 pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:00
S39	16	(dependenc$3 near4 check$3) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S40	16	(dependenc$3 with check$3) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S41	0	((score?board$3) near4 (dependenc$3 near4 check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S42	0	((score?board$3) with (dependenc$3 near4 check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S43	0	((score?board$3) with (dependenc$3 with check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S44	0	((score?board$3) same (dependenc$3 with check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S45	0	((score?board$3) same (dependenc$3 with check$3)) same ((bypass$3) same pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:20
S46	0	((score?board$3) same (dependenc$3 same check$3)) same ((bypass$3) same pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:20
S47	25	((scoreboard$3) same (dependenc$3 same check$3)) same ((bypass$3) same pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:20

S48	797	712/216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:42
S49	776	712/217	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:42
S50	833	712/218	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:42
S51	566	712/219	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:42

Google™

Web   Images   Groups   News   Froogle   Maps   **more »**

Register + renaming + mapping + table   [Search]   Advanced Search
                                                        Preferences

Web   Results **1** - **10** of about **3,750,000** for <u>Register</u> + <u>renaming</u> + <u>mapping</u> + <u>table</u>. (0.20 seconds)

<u>Register renaming</u> - Wikipedia, the free encyclopedia
Most modern machines do **renaming** by RAM indexing a **map**
table with the logical **register** number. Eg P6 did this; future files
do this, and have data storage ...
en.wikipedia.org/wiki/Register_renaming - 34k -
<u>Cached</u> - <u>Similar pages</u>

[PDF] <u>ECE 752 Homework 3, Spring 2005 **Register**</u>
<u>**Renaming** Implementation</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Register Rename Map Tables. Register renaming logic maps logical **register**
names in a program to physical registers. that reside in the machine. ...
homepages.cae.wisc.edu/~mikko/752/hw3_handout.pdf - <u>Similar pages</u>

[PDF] <u>EE382A Lecture 7: **Register Renaming** Announcements Impediments to ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Register Renaming in the RS6000 FPU. FPU **Register Renaming. Map table.** 32 x
6. Free List. Pending Target Return Queue. Incoming FPU instructions pass ...
www.stanford.edu/class/ee382a/handouts/L07-rename_4up.pdf - <u>Similar pages</u>

<u>The Design Space of **Register Renaming** Techniques</u>
use of merged architectural and **rename register** files and **mapping tables** (R10000,
... **Rename** Buffer Layout; **Register Mapping** Methods; Conclusion; References ...
doi.ieeecomputersociety.org/10.1109/40.877952 - <u>Similar pages</u>

<u>Reducing **Rename** Logic Complexity for High-Speed and Low-Power ...</u>
For example, the **register rename** logic is designed to look up the **map table** for both
the logical source operands for each instruction along with updating ...
doi.ieeecomputersociety.org/10.1109/TC.2006.88 - <u>Similar pages</u>

<u>Instruction control mechanism for a computing system with **register** ...</u>
4 for the details of the **register renaming** block 300 of FIG. 2. The **register renaming**
logic 300 consists of four main functional blocks. A **mapping table** 700 ...
www.freepatentsonline.com/4992938.html - 80k - <u>Cached</u> - <u>Similar pages</u>

<u>Real World Technologies - Alpha EV8 (Part 2): Simultaneous Multi ...</u>
Register renaming is a scheme in which the logical registers in an instruction ... This
could be physically realized with a single **map table** if the size of ...
www.realworldtech.com/page.cfm?ArticleID=RWT122600000000&p=2 - 16k -
<u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Microsoft PowerPoint - **Register Renaming**</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Ienne 2002. ConProAv — **Register Renaming.** 13. MIPS R10000:. Merged RF with
Mapping Table. Remark the complexity of the **Mapping Table:.** 4-issue processor (